

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5

FIG.6A




FIG.6B





FIG.6C






FIG.7




FIG.8




FIG.9

TRACK DESCRIPTOR TABLE	CONTENTS										
	0	54									
	1	44									
	2	49									
	3	01									
	4	50									
	5	00									
	6	01									
TRACK DESCRIPTOR UNITS	7	04	BYTE CONTENTS		BYTE CONTENTS		BYTE CONTENTS				
	8	04	24	01	40	02	56	04			
	9	80	25	91	41	91	57	90			
	10	FF	26	00	42	00	58	FF			
	11	FF	27	00	43	00	59	FF			
	12	FF	28	32	44	64	60	FF			
	13	00	29	00	45	00	61	00			
	14	00	30	00	46	00	62	00			
	15	00	31	00	47	00	63	00			
	16	00	32	00	48	00	64	00			
	17	00	33	00	49	00	65	00			
	18	00	34	00	50	00	66	00			
	19	00	35	00	51	00	67	00			
	20	00	36	00	52	00	68	00			
	21	00	37	00	53	00	69	00			
	22	00	38	00	54	00	70	00			
NON-USED BYTES	23	00	39	00	55	00	71	00			
								72	00		
								..	00		
								..	00		
							2047	00			

BYTE/BIT	7	6	5	4	3	2	1	0
0	54th (ASCII “T”)							
1	44th (ASCII “D”)							
2	49th (ASCII “I”)							
3	PRE-GAP LENGTH							
4								
5	Reserved							Current
6	Lowest Track Number							
7	Highest Track Number							
8	Track Number							
9	RECORDING METHOD							
10	(MSB) <div>FIXED-LENGTH PACKET SIZE</div> (LSB)							
11								
12								
13	Reserved (00)							
14	MINIMAL BLANKING INFORMATION							
15	Reserved (00)							
16	(t) <div>PACKET POSITION INFORMATION</div> (LSB)							
17								
18								
19								
20	Reserved (00)							
21	Reserved (00)							
22	Reserved (00)							
23	Reserved (00)							
:								
2047								

FIG.11